## INDEX TO TECHNICAL NEWS BULLETIN, 1933. NUMBERS 189 to 200, INCLUSIVE

	_		
A	n 1	Same and the same	Page
	Page	Bricks, building, properties of	68
Abaca fiber, standards for	128	Brickwork, strength of steel columns incased in	6
Accelerometers, earthquakeAcetates, alkali zinc uranyl, optical		Brush discharge in air affects en-	
and crystallographic properties of_	114	gine performance	40
Acidity of soils, determination of	32	Building bricks, properties of Burners for slow-burning gases	68 42
Acoustical Society of America, meet-	02	O C	
ing of	57		
Aerodynamical characteristics of au- tomobile models	88	Calcium salts, basic, preparation and	113
Alleron displacement, effect of, on	00	Properties ofCalorimeter for heats of fusion	103
wind characteristics	9	Calorimeter, Thomas recording gas_	3
Ailerons, rectangular, rolling, yaw-		Carbon dioxide, thermal properties	0.0
ing, and hinge moments produced	9	Caseins, commercial, properties and	28
Air permeability of paper	56	costing qualities of	22
Air speed, measurement of, fluctua- tions of, in turbulent flow	00	Casting conditions, effect of, on properties of gray cast iron————————————————————————————————————	04
Aircraft, blind landing of, radio sys-	30	Coment portland determination of	64
tem for	39	magnesia in	68
Aircraft instruments, effect of tem-		Cement, portiand, special surface	
perature on elastic properties of metals used for	29	Cements, high early strength	72 45
Aircraft power plant instruments	87	Cements, masonry, workability of	35
Aircraft propellers, vibrations of Aircraft radio direction finder	53 123	Cements, masonry, workability of Ceramic materials, volume changes	
Aircraft radio direction finder	123	in, due to weathering	19
Airplane engines, mufflers forAlcohol as motor fuel	27	Chimney blocks, hollow clay radial, specifications for	45
Alcohol-gasoline blends as compared with gasoline in fuel economy		China clays, composition of Ameri-	
with gasoline in fuel economy	91	can and English	126
Alcohol, miscibility of gasoline with_ Aldonic acids and their lactones,	63	Chromium, deposition of from solu- tions of chromic and chromous	
preparation and properties of	113	salts	105
Alkali zinc uranyl acetates, optical		Cigarettes, fire hazard tests with	117
and crystallographic properties of_	114 87	Clay in concrete	51
Alkalinity of lime solutionsAltitude, effect of, on gas appliances_	41	Clay materials, fired, glass phase in Clays, china, comparison of Ameri-	91
Aluminum in nitriding steels, deter-		can and English	126
mination of	29	Clays, English china, some properties	0.5
American Physical Society, meeting	57	Clays, English china, summary of in-	95
Amnere sheeling determination of	42	vestigation	3
Amplifiers, sensitive pulse, elimina- tion of background noise in		Clave for saggers	71
Angstrom, the	15 97	Clays, Ohio	34 69
Announcements of new publications,		Cloth, effect of weave on proper-	
discontinuance of	79	ues oi	107
Archives Building, construction of	21	Cloth, evaluation of "handle" and "drape" of	55
reinforced-concrete arch of	115	Coils, attraction between, in current	00
reinforced-concrete arch of Artichokes, Jerusalem-, extraction of levulose from		balance	111
Austenitic steel, magnetic balance	73	Color of manila ropeColorimetric analysis, optically sta-	34
Austenitic steel, magnetic balance for the inspection of	29	ble sugar solutions for	32
Automobile models, aerodynamic		Columbium, thermal expansion of	84,
characteristics of	88		6, 103
Automobiles force of side winds on_ Automobiles, streamlining	115 61	Columns protected with gypsum, fire tests of	67
Aviation fuels, detonation rating of_	78	Columns, steel, incased in brickwork.	6
		Commercial standards for fourdrinier	120
В		wire clothCommercial standard for fuel oils	130
		revised	88
Balances, laboratory, magnetic		Commercial standard for gold-filled	100
damping for Batteries, storage, grid composition,	_ 1	and rolled gold plate articles Commercial Standards Monthly, dis-	107
and sulphation of	63	continuance of	79
Bearing alloys, white-metal, prop-		Commercial Standards Monthly, In-	
erties of	5	dustrial Standardization and	101 55
Bearing bronze, tin-free leaded Blind-landing of aircraft	39, 53	Concrete, clay in	4
Books, deterioration of, in libraries.	66	Containers, glass, simplified practice	
Books, deterioration of, in libraries. Brick, fire-clay, Federal specification	0.4	recommendation for	100
for	34	Copper wire nails, simplification of_	118

Counters, Geiger-Müller, improvement in Creep in nickel-chromium iron alloys at high temperatures 65 Current belance, attraction between coils of 65 Current belance, attraction between coils of 65 Current transformers, equipment for testing 67 Curtains, theater, proscenium, fire tests of 67 D  Dampness in masonry walls above grade 94, 107 Bevelopers, photographic, comparison of 67 Dickite, kaolinite and, synthesis of 18, 36 Diesel fuels, automotive, vapor pressure of Direction finder, radio, for use on airplanes 82 Duck, waterproof, accelerated aging test for 68 Earthquake accelerometers 69 Earthquake accelerometers 69 Earthquake accelerometers 69 Earthquake accelerometers 69 Electricit railway motor and controller parts, packaging of 100 Electricity and light, international 69 Electricity and light, international 60 Electricity and light international 60 Electricity and light international 60 Electricity and light international 60 Electricity and ligh
core pin nickel-chromium iron alloys at high temperatures  Current balance, attraction between coils of.  Current transformers, equipment for testing.  Curtains, theater, proscenium, fire tests of.  D  Dampness in masonry walls above grade.  Poevelopers, photographic, comparison of liestic, kaolinite and, synthesis of.  Diesel fuels, automotive, vapor pressure of.  Diesel fuels, automotive, vapor pressure of.  Dawing inks, colored waterproof.  E  Earthquake accelerometers  E  Electrical characteristics of rubbersulphur compounds  of Standards, 1932-34  of Standards, 1932-106  (Gage blanks, American standard for.  Gase, micrometer, for rubber spectimens  Gasoline, and clooh. Jasoline blends.  Comparative fuel economy with alcohol-gasoline blends.  Gasoline, and clooh. Jasoline blends.  Gage blanks, American standard for.  Gage, micrometer, for rubber spectimens  Gasoline, and clooh. Jasoline blends.  Gage blanks, American standard for.  Gage, micrometer, for rubber spectimens  Gasoline, and clooh. Jasoline blends.  Gage blanks, American standard for.  Gage, micrometer, for rubber spectimens  Gasoline, and clooh. Jasoline blends.  Gage blanks, American standard for.  Gage, micrometer, for rubber spectimens  Gasoline, and clooh. Jasoline blends.  Gage blanks, American standard for.  Gage, micrometer, for rubber spectimens  Gasoline, and provide of gasoline plends.  Gasoline, and clooh. Jasoline blends.  Gasoline, and clooh. Jasoline declooh.  Gasoline, plantace.  Gasoline, plant
Current transformers, equipment for testing.  Curtains, theater, proscenium, fire tests of  D  Dampness in masonry walls above grade  grade  Developers, photographic, comparison of  Dickite, kaolinite and, synthesis of  Direction finder, radio, for use on airplanes  Direction finder, radio, for use on airplanes  Distilling column, improved chain-packed  Direction finder, cadio, for use on airplanes  Earthquake accelerometers  Earthquake accelerometers  Earthquake accelerometers  Earthquake accelerometers  Earthquake accelerometers  Electric railway motor and controller parts, packaging of  Electrical characteristics of rubbersulphur compounds  Electrical units, international  Electricy and light, international action on, units in  Electricity and light, international action on, units in  Electricity and light, international action on, units in  Enamels, ground-coat, factors determining expansivity of  Enamels, ground-coat, factors determining expansivity of  Enamels, ground-coat, influence of composition on fusion properties for tests of  Enamels, ground-coat, influence of composition on fusion properties for tests of  Enamels, ground-coat, influence of composition on fusion properties for tests of  Enamels, ground-coat, influence of composition on fusion properties for tests of  Enamels, ground-coat, influence of composition on fusion properties for tests of  Enamels, ground-coat, influence of composition on fusion properties for tests of  Enamels, ground-coat, influence of composition on fusion properties for tests of  Enamels, ground-coat, influence of composition on fusion properties for tests of  Enamels, ground-coat, influence of composition on fusion properties for tests of  Enamels, ground-coat, influence of composition on fusion properties for tests of  Enamels, ground-coat, influence of test can be and accohol-gasoline and alcohol-gasoline and alcohol-gasoline and alcohol-g
coils of.  Current transformers, equipment for tests of.  D  Dampness in masonry walls above grade.  Developers, photographic, comparison of.  Dickite, knolinite and, synthesis of.  Diesel fuels, automotive, vapor pressure of.  Direction finder, radio, for use on airplanes.  Direction finder, radio, for use on airplanes.  Distilling column, improved chainpacked.  Drawing inks, colored waterproof.  E  Earthquake accelerometers.  Educational courses at the Bureau of Standards, 1932-34.  Of Standards, 1932-34.  Electrical characteristics of rubbersulphur compounds.  Electrical units, international action on, units in
Curtains, theater, proscenium, fire tests of  Dampness in masonry walls above grade Developers, photographic, comparison of Dickite, kaolinite and, synthesis of Dickite, kaolinite and, synthesis of Dickite, kaolinite and, synthesis of Direction finder, radio, for use on airplanes Distrilling column, improved chain-packed Direction finder, radio, for use on airplanes. Distilling column, improved chain-packed Distrilling column, improved chain-packed  E  Earthquake accelerometers  E  Earthquake accelerometers  E  Earthquake accelerometers  E  Earthquake accelerometers  E  Earthquake accelerometers  E  Earthquake accelerometers
Dampness in masonry walls above grade
Dampness in masonry walls above grade.  Detonation rating of aviation fuels. 78 Developers, photographic, comparison of Dickite, kaolinite and, synthesis of 18, 36 Diesel fuels, automotive, vapor pressure of airplanes. 94 Direction finder, radio, for use on airplanes. 94 Direction finder, radio, for use on airplanes. 94 Direction finder, radio, for use on airplanes. 95 Distilling column, improved chain-packed. 95 Duck, waterproof, accelerated aging test for 95 Duck, waterproof, accelerated aging test for 95 Earthquake accelerometers. 95 Earthquake accelerometers. 95 Earthquake accelerometers. 96 Earthquake accelerometers. 97 Electric railway motor and controller parts, packaging of 97 Electrical characteristics of rubbersulphur compounds. 98 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international action on, units in 95 Electricity and light, international 95 Electricity and light, internation
grade rating of aviation fuels 78 Developers, photographic, comparison of 79 Dickite, kaolinite and, synthesis of 18, 36 Diesel fuels, automotive, vapor pressure of 70 Direction finder, radio, for use on airplanes 9 Distilling column, improved chain-packed 7 Drawing inks, colored waterproof 32 Duck, waterproof, accelerated aging 6 Duck waterproof, accelerated aging 6 Earthquake accelerometers 41 Educational courses at the Bureau of Standards, 1933-34 100 Electric railway motor and controller parts, packaging of 120 Electrical characteristics of rubbersulphur compounds 120 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electricity and light, international action on, units in 25, 121 Electrolysis, stray-current 46 Enamels, ground-coat, factors determing expansivity of 47  Enamels, ground-coat, factors determing expansivity of 47  Enemels, ground-co
son of
Diekite, kaolinite and, synthesis of 18, 36 Diesel fuels, automotive, vapor pressure of  Direction finder, radio, for use on airplanes  Distilling column, improved chain-packed  Drawing inks, colored waterproof  Drawing inks, colored waterproof  E  E  Earthquake accelerated aging test for  Electrical columns and controller parts, packaging of  Electrical characteristics of rubbersulphr compounds  Electrical units, international  Electricity and light, international action on, units in  Electricity and light, international action on of solored water in  Electricity and light, international action on of solored water in  Electricity and light, international action on of solored water in
airplanes Distilling column, improved chain- packed. Drawing inks, colored waterproof. Duck, waterproof, accelerated aging test for  E  Earthquake accelerometers. Educational courses at the Bureau of Standards, 1933-34. Electric railway motor and control- ler parts, packaging of ler parts, packaging of Electrical characteristics of rubber- sulphur compounds. Electricity and light, international action on, units in. Electricity and light, international action on the reactive of the attraction of class, optical, viscosity of. Electrom
Distilling column, improved chain-packed.  Drawing inks, colored waterproof.  Duck, waterproof, accelerated aging test for  E  Earthquake accelerometers.  E  Earthquake accelerometers.  Of Standards, 1933-34.  Electric railway motor and controller parts, packaging of sulper sulphur compounds.  Electrical characteristics of rubbersulphur compounds.  Electricity and light, international action on, units in 25, 121 Electricysis, stray-current.  Enamels, ground-coat, factors determining expansivity of.  Enamels, ground-coat, influence of composition or fusion properties for examples of the example
Duck, waterproof, accelerated aging test for
test for E  Earthquake accelerometers 41  Educational courses at the Bureau of Standards, 1933-34 100  Electric railway motor and controller parts, packaging of 120  Electrical characteristics of rubbersulphur compounds 13, 121  Electricial units, international 13, 121  Electricial units, international 25, 121  Electricy and light, international action on, units in 25, 121  Electrolysis, stray-current 6  Enamels, ground-coat, factors determining expansivity of 17  Enamels, ground-coat, influence of composition on fusion properties (Figure 12)  Enamels, ground-coat, influence of composition on fusion properties (Figure 22)  Enamels, ground-coat, influence of composition on fusion properties (Figure 23)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of composition on fusion properties (Figure 24)  Enamels, ground-coat, influence of com
Earthquake accelerometers 41 Educational courses at the Bureau of Standards, 1933-34 100 Electric railway motor and controller parts, packaging of 129 Electrical characteristics of rubbersulphur compounds 81 Electricity and light, International 25, 121 Electricity and light, International action on, units in 25, 121 Electrolysis, stray-current 25, 121 Electrolysis, ground-coat, factors determining expansivity of 5 Enamels, ground-coat, influence of composition on fusion properties of composition on fusion properties of composition on fusion properties of from content of gasoline 6  Glass phase in Ohio heavy clays 6 Glass phase in Ohio heavy clays 6 Glass phase in Ohio heavy clays 6 Glass phase in Ohio heavy clays 6 Glass phase in Ohio heavy clays 6 Glass phase in Ohio heavy clays 6 Classes, spear effect of heat treat frent on expansion of
of Standards, 1933-34 100 Electric railway motor and controller parts, packaging of 120 Electrical characteristics of rubbersulphur compounds 13, 121 Electrical units, international 13, 121 Electricity and light, international action on, units in 25, 121 Electrolysis, stray-current 25, 121 Enamels, ground-coat, factors determining expansivity of 50 Enamels, ground-coat, influence of composition on fusion properties Enamels, ground-coat, influence of composition on fusion properties  Finamels, ground-coat, influence of composition on fusion properties  Ground-coat enamels, influence of Gypsum, columns protected with, for tests of 16  Enamels, ground-coat, influence of ground-coat, influence of composition on fusion properties  Enamels, ground-coat, influence of ground-coat enamels, influence of Gypsum, columns protected with, for the first of the first
of Standards, 1933-34 100 Electric railway motor and controller parts, packaging of 120 Electrical characteristics of rubbersulphur compounds 13, 121 Electrical units, international 13, 121 Electricity and light, international action on, units in 25, 121 Electrolysis, stray-current 25, 121 Enamels, ground-coat, factors determining expansivity of 50 Enamels, ground-coat, influence of composition on fusion properties Enamels, ground-coat, influence of composition on fusion properties  Finamels, ground-coat, influence of composition on fusion properties  Ground-coat enamels, influence of Gypsum, columns protected with, for tests of 16  Enamels, ground-coat, influence of ground-coat, influence of composition on fusion properties  Enamels, ground-coat, influence of ground-coat enamels, influence of Gypsum, columns protected with, for the first of the first
Electrical characteristics of rubber- sulphur compounds Electrical units, international 13, 121 Electricity and light, international action on, units in 25, 121 Electrolysis, stray-current 46 Enamels, ground-coat, factors determining expansivity of 5 Enamels, ground-coat, influence of composition on fusion properties Cles, commercial standard for 10 Greases, stability of 1 storage batteries 6 composition on fusion properties of 1 Gum content of gasoline 6 Gypsum, columns protected with, fire tests of 1
suiphur compounds Electrical units, international
Electrolysis, stray-current.  Enamels, ground-coat, factors determining expansivity of.  Enamels, ground-coat, influence of composition on fusion properties  46 composition on fusion properties  69 cum content of gasoline.  87 gypsum, columns protected with, fire tests of.
Electrolysis, stray-current.  Enamels, ground-coat, factors determining expansivity of.  Enamels, ground-coat, influence of composition on fusion properties  46 composition on fusion properties  69 cum content of gasoline.  87 gypsum, columns protected with, fire tests of.
mining expansivity of 44 Enamels, ground-coat, induence of composition on fusion properties fire tests of 6
composition on fusion properties fire tests of
Enamels, stresses in
Enamels, vitreous, thermal expansion of 104
Encyclopedia of specifications for metals and metal products 64 Heating installations, domestic, fire hazard of 9
End standards, quartz and steel.   Heats of fusion a simple colorime
Hemimellitene, isolation of, from
Engine performance, brush discharge Humidity control in lithographic
Engine performance, effect of jacket Humidity relative nomogram for
water temperature on 114   determining
ties of 95 Hydrocarbon, rubber, pure ether-soluble, preparation and crystal-
vestigation 3 lization of
ferentiation of
Hypersensitization of photographic
recorder of 99  Fire-clay brick, Federal specifications for 34
tions as they affect the work of a.  Fire hazard of domestic heating installations.  116  mercial Standards Monthly.  11dustrial truck tires, revised simplified practice recommendation
Fire hazard tests with cigarettes 117 for 1
gypsum 87   Ink for permanent records 11
Fire tests of gypsum lath partitions 20, 94 Inks, colored, waterproof drawing Inks, new circular on Inks, new
Flexometer, the 55 Inks, new circular on Instruments, aircraft power plant 96 Interference method of measuring
Floor files natural stone abrasive   thermal expansion
resistance of 50 International Committee and Gen- foors, care of 95 eral Conference on Weights and Floors, wear of 115 Measures 1
Floors, wear of 115 Measures comparison of tem-

Interior cy Iono: Iron-Iron co Isoto na Isoto

Jack on Jeru le

Kno Kno Kryj

Lace si Lace race Land to Lea a a Lea co of the Libbins in Libbins Lib

Ma Ma Ma Ma Ma Ma Ma Ma

## TECHNICAL NEWS BULLETIN

3 3 3

)1

Page	Page
International electrical units 13, 121 Ionosphere heights, a multi-frequen-	Metals used for aircraft instruments, effect of temperature on elastic properties of 29
cy automatic recorder of 104	elastic properties of 29 Meter, definition of, in wave lengths
fron-cardon oxides, the system figure_ 100 i	of light 121
Iron, gray cast, effect of casting conditions on properties of 64 Isotopic composition of water from	Meters, prototype, thermal expansion of
natural sources, variation in 81 Isotopic fractionation of water 103	mens 54
J	Mineral aggregate production screens, wire diameters for
Jacket water temperature, effect of,	measurement of 72 Motor fuel, alcohol as 27 Mufflers for airplane engines 8
on engine performance 114  Jerusalem-artichokes as a source of	measurement of 72  Motor fuel, alcohol as 27  Mufflers for airplane engines 8
Jet propulsion 10	N
K	Nails, copper wire, simplification of_ 118
Kaolinite and dickite, synthesis of 18, 36 Knock in engines as induced by	National Conference on Weights and Measures 57
ozone 92	National Screw Thread Commission, revised report of 131
Krypton, the second spectrum of 96	reception, elimination of 7
L	Nitriding steels, determination of aluminum in 29
Lacquer-coated resistors of high resistance	Noise, elimination of background, in sensitive pulse amplifiers15
Lactones, aldonic acids and, preparation and properties of 113	0
Landing aids, alrplane, radio system of 105	Ohio heavy clays, glass phase in 69
Lathe culting conditions effect of	Ohm, absolute determination of 42 Olivine as a refractory 127
on carbon and alloy steels 6 Leather, hydrolysis of, by sulphuric acid, influence of sodium chloride	Optical and other properties of the normal formates of some group
and magnesium sulphate on 33  Leather, vegetable tanned, influence of pH on the deterioration of, by	II metals 85 Oxides, iron-carbon, the system
of pH on the deterioration of, by sulphuric acid43	liquid106 Ozone, effect of, on engine knock92
Levulose, extraction of, from Jeru- salem-artichokes73	P
Levulose, stability of, in aqueous so- lutions of varying acidity	
Libraries, deterioration of books in_ 60	Packaging of electric railway motor and controller parts
in 117	and controller parts 123 Paints, varnishes, and containers, simplified practice recommenda- tion for 96
Library air, removal of sulphur di- oxide from 129 Light, international units of elec-	Palladium compounds, ignition of 86
tricity and 25, 121	Paper, accelerated aging test for 121 Paper, air permeability of 56
Lightning, protection against 31 Lime, hydrated, and diatomaceous	Paper, air permeability of 56 Paper, basic sheet sizes of, simplified practice recommendation for 136
silica, reaction between 4 Lime, hydrated, determination of particle size of 113	Papers, lithographic, effect of tem-
particle size of 113 Lime solutions, alkalinity of 86 Lithographic papers, effect of tem-	perature on 56 Papers, lithographic, sensitive to atmospheric humidity
perature on	Papers, sulphite bond, improvement
Lithographic papers sensitive to at- mospheric humidity	Particle size, determination of, by
Lithographic plants, humidity con- trol in	Partitions, gypsum lath, fire tests
Low-frequency radio receiving meas- urements at the Bureau of Stand-	of
ards, 1931-32	of 11:
Lubricated gasoline 28	Phase rule diagrams, compilation of8
М	Philippine Island Government stand- ard for abaca fiber
Magnesia, determination of, in port- land cement68	Photoelastic study of rubber 58 Photographic developers, comparison
Magnetic balance for the Inspection of austenitic steel29	of9
Magnetic damping for laboratory balances	Photographic emulsions, sensitiza-
Manila rope, color of 34, 127 Masonry cement, studies of 50 Masonry cements, workability of 35	tion by sulphites 12 Photometry, International Advisory
Masonry walls, dampness in, above	Platinum-rhodium alloys, dissolving
grade94, 107 Mesitylene, isolation of, from pe-	Platinum-rhodium alloys, thermo-
troleum 112 Metals and metal products, encyclo-	electric properties of 2: Platinum to platinum-rhodium ther- mocouples, reference tables for 1
pedia of specifications for 64	mocouples, reference tables for 1

	Page		Page
Portland cement, determination of	20	Saturation scale for yellow colors Screw Thread Commission, National,	16
magnesia in Portland cement, specific surface	68	revised report or	131
of Potato starch size, consistency of	72 128	Sedimentation method for determin- ing particle size————————————————————————————————————	113
Potentiometer, a specialized, for comparing standard cells	82	Side winds, force of, on automo- biles	115
Potentiometer, multiple-range, for measuring small temperature dif-	-	Silica, diatomaceous, and hydrated lime, reaction between	4
ferences	2	Silicon, red and infrared arc spec-	125
of particle size of, in whiteware.	96	Silk and wool, combination of, with	
Prism surfaces, permissible curva- ture of, and inaccuracy of collima-		trum of Silk and wool, combination of, with positive and negative ions Silver, freezing temperature of	38 52
tion in refractometry Propellers, aircraft, vibrations of	<b>75</b> 53	Simplified practice recommendation covering glass containers. Simplified practice recommendation covering paints, varnishes and containers.	100
Proscenium curtains for theaters,	106	Simplified practice recommendation	
Pagudocumono isolation of from	112		99
Psychrometry, improvements in	16	Simplified practice recommendation covering wire diameters for min-	00
petroleum — Psychrometry, improvements in — Pyrex glass, effect of heat treatmen on expansion of —	126	eral aggregate production screens. Simplified practice recommendation for basic sheet sizes of paper	99
Q		for basic sheet sizes of paper Soda, determination of, in glasses	130
Quartz and steel end standards, com-		Soda, determination of, in glasses containing relatively large amounts of potash	68
parison of	14	Soda-lime-silica glasses, composition and thermal expansion of	
R		Soils acidity Solar eclipse radio observations	103 32
Radiation, infrared, from an engine	90	Solar eclipse radio observations Solar ultraviolet radiation, on sea	123
cylinder	28	and land	2
standards ofRadiobeacons, improved antenna sys-	14	Spark test, utility of, as applied to commercial steels	106
tem for	78 83	Specific volumes of saturated va-	112
Radio direction finder, aircraft Radio field intensities, a continuous	99	Specifications for metals and metal products, encyclopedia	64
recorder of	00	Spectral differentiation of pure hy-	112
	54	Standard cell comparator Standard samples, new list of	82 36
Radio observations, solar eclipse Radio range-beacon reception, elimi-	123	Starch size, sweetpotato-, consistency	
nation of night effects in	7	State utility commission engineers,	128
Radio range-beacon system, course and quadrant identification with	98	1933 conference of Steam, high pressure, properties of_	76 17
Radio system for blind landing of	39	Steel, austenitic, magnetic balance	29
Radio system of landing aids, per- formance tests of	105	Steel, austenitic, magnetic balance for the inspection of Steels, carbon and alloy, effect of	
Radio transmissions of standard fre- quency, change in schedule of	31		6
Radioactive materials, improved in-	54	Steels, commercial, utility of spark test as applied to Stone floor tiles, natural, abrasive	106
Recorder, multi-frequency, auto-		resistance of	50
matic, of ionosphere heights Records, preservation of library	104 117	resistance of Storage batteries, grid composition and sulphation of	63
Refractive index of rubber, enect of	66	Stray emport electrolysis	21 46
Refractometry, permissible curvature of prism surfaces and inaccuracy of collimation in		Streamlining automobiles Structural conditions as they affect the work of a fire depart-	61
of collimation in	75	fect the work of a fire depart-	116
up to 1,800 C	19	Sugar, refined, tests of, at Chicago Sugar solutions, optically stable, for	107
Refractories, thermal dilatation of, up to 1,800 C. Refractory, olivine as a. Resistors, lacquer-coated	127 98	colorimetric analysisSulphite bond papers, improvement	32
Rhodium-platinum alloys, dissolv- ing, for analysis	126	Sulphite bond papers, improvement	74
Rolling, vawing, and hinge moments		Sulphur dioxide, removal of, from library air	129
produced by rectangular allerons. Rope, manila, color of	34, 127	Sulphuric acid, effect of, on vege- table-tanned leather Sulphuric acid, hydrolysis of leather	43
Rubber, hydrocarbon, pure ether- soluble, preparation and crystal-		Sulphuric acid, hydrolysis of leather	
soluble, preparation and crystal- lization of———————————————————————————————————	43 55	Sulphuric acid solutions, viscosity	. 33
Rubber, retractive index of, effect of		of	63
Rubber specimens, screw microme		T	
ter gage for	. 54	Temperature differences, measuring small, with multiple-range poten-	
cal characteristics of	. 81	Liometer	2
8		Temperature, international scale of Temperature scales, international	121
Saggers, clays forSands, foundry, properties and test-	71	comparison of	75
ing of	45	quantitative analyses of	66

Textile
Textile
Textile
Theate
tests
Thermi
up t
Thermi
Thermi
Thermi
Thermi
Thermi
Thermi
Trhoma
Tiles
Trosis
Tin-fre
Tires,
prac
Transi
for
Turbul
tunt
Turnbi
omn

Ultray and Utility ence

Vapor Vapor of -Viscos Viscos Vitre

Walls Water tion

## TECHNICAL NEWS BULLETIN

	Page		Page
Textile shrinkage, standards for	128	Water, isotopic fractionation of Waterproofed duck and similar fab-	103
Theater proscenium curtains, fire tests of	106	rics, accelerated aging test for Water vapor, atmospheric, nomogram	34
Thermal dilatation of refractories	19	for determining pressure of	129
up to 1,800° C Thermal expansion, interference	19	Wavelength standard, infrared Wear of floors	116
method of measuring Thermal expansion of columbium 84, 9	6. 103	Weathering, volume changes in ce- ramic materials produced by	19
Thermal expansion of vitreous enamels	104	Weave, effect of, on properties of	107
Thermocouples, platinum to plat-		cloth————————————————————————————————————	101
inum-rhodium, reference table for Thomas recording gas calorimeter	17	Committee and General Confer- ence on-	121
Tiles floor, natural stone, abrasive resistance of	50	Weights and measures, international	99
Tin-free leaded bearing bronze	52	meetings on Weights and Measures, National	-
Tires, industrial truck, simplified practice recommendation for	118	Weston normal cells, effect of glass	57
Transformers, current, equipment for testing	76	containers on electromotive force	82
Turbulent flow, measurement of fluc-		White-metal bearing alloys, proper-	
tuations of air speed in Turnbuckles, simplified practice rec-	30	Whiteware, effect of varying particle	5
ommendation for	118	Whiteware, moisture expansion of	51 72
U		Wing characteristics, effect of aile-	89
Ultraviolet solar radiation on sea		wire diameters for mineral aggre-	99
and land	2	gate production screens, simpli- fied practice recommendation for-	99
Utility commission engineers, conference of State	76	Wool and silk, combination of, with positive and negative ions	33
v		x	-
Vapor lock	17	X-ray tubes, high voltage, compari-	
Vapor pressure of automotive diesel	40	son of	98
Vapors, saturated, specific volumes	112	X-ray tubes, thick-walled, operation of, on rectified potentials	15
Viscosity of optical glass	72	X-rays generated by voltages of dif- ferent wave form, comparison of.	84
Viscosity of sulphuric-acid solutions Vitreous enamels, thermal expansion	63	w	0.8
of	104		
w		Yellow colors, saturation scale for_	16
Walls massaum demonstrate	107	Z	
Walls, masonry, dampness on Water from natural sources, varia- tion in isotopic composition of		Zinc uranyl acetates, alkali, optical and crystallographic properties of_	114